



Fish and Wildlife Research Institute
 100 Eighth Avenue SE ; St. Petersburg, FL 33701
 tel: (727) 896-8626 fax: (727) 550-4222

HAB PHYTOPLANKTON REPORT

Sample Date: 10/7/2013	Collected By: FDEP Staff	Collecting Agency: FDEP	Analysis Date: 10/8/2013	FWRI Analyst: Markley, L.	Sample Condition: Preserved
-------------------------------	---------------------------------	--------------------------------	---------------------------------	----------------------------------	------------------------------------

HAB ID Original ID	Location	County	Lat/Lon (DD.dddd)	Time (GMT)	Depth (m)	Temp (C)	Sal (ppt)	DO mg/L	pH	<i>Genus species</i>	cells/liter	Comments
HABW131008-014 FDEP CHV007	Punta Gorda Boat Ramp	Charlotte	26.9092 -82.0953	11:15	2.5	26.00	3.8	4.00	7.44			
										<i>Pyrodinium bahamense</i>	0	
										<i>Karenia brevis</i>	0	
HABW131008-015 FDEP CHV009	Burnt Marina, Charlotte Harbor	Lee	26.7614 -82.0611	12:10	1.4	28.60	19.8	3.00	7.74			
										<i>Karenia brevis</i>	0	
										<i>Pyrodinium bahamense</i>	0	
HABW131008-016 FDEP EBV 001	Mantanzas Pass, Estero Bay	Lee	26.4577 -81.9532	11:40	.5	28.10	24.0	4.60	7.98			
										<i>Karenia brevis</i>	0	
										<i>Pyrodinium bahamense</i>	0	
HABW131008-017 FDEP EBV 003	Estero River, Mouth of, Estero Bay	Lee	26.4294 -81.8580	11:31	.6	28.80	24.8	6.00	7.65			
										<i>Pyrodinium bahamense</i>	0	
										<i>Karenia brevis</i>	0	
HABW131008-018 FDEP EBV 005	Pelican Bay Nature Park Pier, Estero Bay	Lee	26.3584 -81.8375	11:35	.5	23.90	28.5	9.00	8.08			
										<i>Pyrodinium bahamense</i>	0	
										<i>Karenia brevis</i>	0	

NOTE: Blank field = not measured.


HAB ID Original ID	Location	County	Lat/Lon (DD.dddd)	Time (GMT)	Depth (m)	Temp (C)	Sal (ppt)	DO mg/L	pH	Genus species	cells/liter	Comments
HABW131008-019 FDEP EBV 006	Coon Key, 0.85 miles N of. Estero Bav	Lee	26.4287 -81.8832	11:20	1.8	27.80	26.4	6.90	7.84			
										<i>Karenia brevis</i>	0	
										<i>Pyrodinium bahamense</i>	0	
HABW131008-020 FDEP EBV 007	Mound House dock, Estero Bay	Lee	26.4462 -81.9272	11:33	.5	28.20	24.3	5.10	8.00			
										<i>Karenia brevis</i>	0	
										<i>Pyrodinium bahamense</i>	0	
HABW131008-021 FDEP EBERS 2	Estero River, upstream	Lee	26.4386 -81.8400	11:30	2.0	26.90	1.2	4.20	7.33			
										<i>Pyrodinium bahamense</i>	0	
										<i>Karenia brevis</i>	0	

Description	<i>Karenia brevis</i> cells/L	Possible Effects (<i>Karenia brevis</i> only)
NOT PRESENT - BACKGROUND	0 - 1,000	None anticipated
VERY LOW	> 1,000 - 10,000	Possible respiratory irritation; shellfish harvesting closures ≥ 5,000 cells/L
LOW	> 10,000 - 100,000	Respiratory irritation; possible fish kills and bloom chlorophyll probably detected by satellites at upper range
MEDIUM	> 100,000 - 1,000,000	Respiratory irritation and probable fish kills
HIGH	> 1,000,000	As above plus discoloration

The above report is distributed by the Harmful Algal Bloom (HAB) Group at the Fish and Wildlife Research Institute of the Florida Fish and Wildlife Conservation Commission. The report is intended to (1) provide timely information on HABs in Florida waters to partner agencies and (2) facilitate communication among individuals who direct response activities to address public health concerns. We report on the abundance of [Karenia brevis](#) and [Pyrodinium bahamense](#). *Karenia brevis*, the Florida red tide organism, produces neurotoxins called brevetoxins that can kill fish and other marine life. Brevetoxins may cause respiratory irritation in beachgoers and Neurotoxic Shellfish Poisoning in humans that consume contaminated shellfish. *Pyrodinium bahamense* produces saxitoxins that can cause Paralytic Shellfish Poisoning or Saxitoxin Puffer Fish Poisoning in humans if contaminated shellfish or puffer fish are consumed. For information on red tide related human health issues, please refer to the [Department of Health Aquatic Toxins Program](#).

[State-wide status reports](#) including interactive Google Maps are provided weekly by our group and [shellfish harvesting area status maps](#) are provided by the Division of Aquaculture. Gulf Coast beach conditions can be found at [Mote Marine Laboratory's Beach Conditions Report](#). A full list of red tide related hotlines and information sources can be found [here](#). Data for other species can be requested at any time by sending an inquiry to HABData@myFWC.com.

DISCLAIMER: While every practical step has been taken to provide accurate information in these reports, the need for rapid distribution precludes extensive review. Further, reports are generated with limited interpretation and do not necessarily reflect all scientific observations.



Punta Gorda Boat Ramp

Charlotte

Burnt Marina

Cape Coral

Lee

Lehigh Acres

Mantanzas Pass

Mound House dock

Estero River

Estero River, upstream

Coon Key, 0.85 miles N of

Pelican Bay Nature Park Pier

Bonita Springs

Karenia brevis scale (cells/liter)

- NOT PRESENT – BACKGROUND (0 to 1,000)
- VERY LOW (>1,000 to 10,000)
- LOW (>10,000 to 100,000)
- MEDIUM (>100,000 to 1,000,000)
- HIGH (>1,000,000)



14.72 mi

Image Landsat
© 2013 Google

Data SIO, NOAA, U.S. Navy, NGA, GEBCO

lat 26.605529° lon -81.837306° elev 0ft

Imagery Date: 4/9/2013