HAB MONITORING REPORT

From: 2/5/2018 To: 2/5/2018

Fish and Wildlife Research Institute

Collecting agency: EBAP

Collected by: Staff

Sample condition: Preserved

HAB ID	Location	County	Lat/Lon	Time	Depth	Temp	Sal	DO	pН	Species	cells/liter
Original ID			(DD.dddd)		(m)	(C)	(ppt)	(mg/L)			
Sample Date											
HABW180206-042 FDEP EBV001 2/5/2018	Matanzas Pass (Estero Bay)	Lee	26.4577 -81.9532	07:25	0.5	19.70	31.48		8.06		
Analyzed by:	KellerAbbe, S. on 2/7/2018									Karenia brevis	0
Comments:	Winds SE @ 0 - 1 mph, partly cloudy, air temp. 18.8 C;									Pseudo-nitzschia spp.	0
	secchi 1.35 m; water color dark brown.									Pyrodinium bahamense	0
HABW180206-043 FDEP EBV004 2/5/2018	Carl Johnson Park Boat Ramp (Estero Bay)	Lee	26.3936 -81.8655	06:40	0.5	19.90	34.08	4.68	8.07		
Analyzed by:	KellerAbbe, S. on 2/7/2018									Karenia brevis	0
Comments:	Winds @ 0 - 1 mph, fog-haze, air temp 19.7 C; tide out	tgoing,								Pseudo-nitzschia spp.	0
	secchi 0.8 m, water color green-brown.									Pyrodinium bahamense	0
HABW180206-044 FDEP EBV007 2/5/2018	Mound House Dock (Estero Bay)	Lee	26.4462 -81.9272	07:11	0.5	20.00	31.47	6.78	7.66		
Analyzed by:	KellerAbbe, S. on 2/7/2018									Karenia brevis	0
Comments:	Winds S @ 0 - 1 mph, fog/haze, air temp 18.3 C; secch	ni 1.4,								Pseudo-nitzschia spp.	0
	tide outgoing, water yellow-green.									Pyrodinium bahamense	0
HABW180206-045 FDEP EBERS2 2/5/2018	Estero River; upstream	Lee	26.4386 -81.8400	07:45	0.5	22.80	23.26	3.70	7.68		
Analyzed by:	KellerAbbe, S. on 2/7/2018									Karenia brevis	0
Comments:	Winds E @ 0 - 1 mph, fog, air temp 19.3 C; tide outgoi	ng,								Pseudo-nitzschia spp.	0
	secchi 0.9, water color tan.									Pyrodinium bahamense	0




Description	Karenia brevis abundance	Possible effects (<i>Karenia brevis</i> only)
NOT PRESENT - BACKGROUND	0 - 1,000 cells/L	no effects anticipated
VERY LOW	> 1,000 - 10,000 cells/L	possible respiratory irritation; shellfish harvesting closures ≥ 5,000 cells/L
LOW	> 10,000 - 100,000 cells/L	respiratory irritation; possible fish kills; probable detection of surface chlorophyll by satellites at upper range of cell abundance
MEDIUM	> 100,000 - 1,000,000 cells/L	respiratory irritation; probable fish kills; detection of surface chlorophyll by satellites
нідн	> 1,000,000 cells/L	as above, plus water discoloration

The above report is distributed by the Harmful Algal Bloom (HAB) Group at the Fish and Wildlife Research Institute of the Florida Fish and Wildlife Conservation Commission. The report is intended to (1) provide timely information on HABs in Florida waters to partner agencies and (2) facilitate communication among individuals who direct response activities to address public health concerns. We report on the abundance of *Karenia brevis*, *Pyrodinium bahamense* and *Pseudonitzschia* species. *Karenia brevis*, the Florida red tide organism, produces neurotoxins called brevetoxins that can kill fish and other marine life. Brevetoxins may cause respiratory irritation in beachgoers and Neurotoxic Shellfish Poisoning in humans that consume contaminated shellfish. *Pyrodinium bahamense* produces saxitoxins that can cause Paralytic Shellfish Poisoning or Saxitoxin Puffer Fish Poisoning in humans if contaminated shellfish or puffer fish are consumed. Some, but not all, species of *Pseudo-nitzschia* produce domoic acid, which can cause Amnesic Shellfish Poisoning in humans if contaminated shellfish are consumed. Blooms of *Pseudo-nitzschia* spp. (≥ 1,000,000 cells/L) frequently occur in Florida's marine and estuarine waters. For information on red tide related human health issues, please refer to the <u>Department of Health Aquatic Toxins Program</u>.

State-wide status reports of Karenia brevis abundance including interactive Google Maps are provided weekly by our group. Shellfish harvesting area status maps are provided by the Division of Aquaculture. Gulf Coast beach conditions can be found at Mote Marine Laboratory's Beach Conditions Report. A full list of red tide related hotlines and information sources can be found here. Data for other species can be requested at any time by sending an inquiry to HABData@MyFWC.com. To learn more about HAB monitoring and research in Florida, please visit MyFWC.com/RedTide and Facebook.com/FLHABs.

DISCLAIMER: While every practical step has been taken to provide accurate information in these reports, the need for rapid distribution precludes extensive review. Further, reports are generated with limited interpretation and do not necessarily reflect all scientific observations.





Mound House Dock

Estero River; upstream

Carl Johnson Park Boat Ramp

4 mi

Karenia brevis (cells/liter)

not present/background (0-1,000)
very low (>1,000-10,000)
low (>10,000-100,000)

emedium (>100,000-1,000,000)

high (>1,000,000)

Google earth

Data SIO, NOAA, U.S. Navy, NGA, GEBCO Image © 2018 TerraMetrics