HAB MONITORING REPORT

From: 10/1/2018 To: 10/1/2018

Collected by: Volunteer(s) Collecting agency: EBAP Sample condition: Preserved

Fish and Wildlife Research Institute



HAB ID	Location	County	Lat/Lon	Time	Depth	Temp	Sal	DO	рН	Species	cells/lite
Original ID			(DD.dddc	l)	(m)	(C)	(ppt)	(mg/L)		
Sample Date											
HABW181002-073 FDEP EBV001 10/1/2018	Matanzas Pass (Estero Bay)	Lee	26.4577 -81.9532	07:59	0.5	29.80	29.66	4.35	8.04		
Analyzed by:	Henschen, K. on 10/5/2018									Karenia brevis	303,333
Comments: Winds NE @ 4-7 mph, partly cloudy, air temp 23.8 C, outgoing; secchi = 2.05 m, water color yellow-brown										Pseudo-nitzschia spp.	11,000
	outgoing; secchi = 2.05 m, water color yellow-browl	1								Pyrodinium bahamense	0
HABW181002-074 FDEP EBV003 10/1/2018	Estero River; mouth of (Estero Bay)	Lee	26.4294 -81.8580	07:20	0.5	29.20	28.18	2.98	7.71		
	Henschen, K. on 10/5/2018									Karenia brevis	0
	Winds E @ 4-7 mph, sunny, air temp 26.1 C, tide outg	tgoing;								Pseudo-nitzschia spp.	0
	secchi = 1.6 m, water color = red-brown									Pyrodinium bahamense	0
HABW181002-075 FDEP EBV004 10/1/2018	Carl Johnson Park Boat Ramp (Esterd Bay)	L ee	26.3936 -81.8655	07:20	0.5	28.50	31.56	3.27	8.20		
Analyzed by:	Henschen, K. on 10/5/2018									Karenia brevis	0
Comments:	Winds NE @ 8-12 mph, sunny, air temp 29.3 C, tide									Pseudo-nitzschia spp.	4,333
	incoming; secchi = 1.7 m, water color med-brown; s on water	sea roam								Pyrodinium bahamense	0
HABW181002-076 FDEP EBV005 10/1/2018	Pelican Bay Nature Park Pier (Estero Bay)	Lee	26.3584 -81.8375	07:28	0.5	31.00	28.25	2.28	8.09		
Analyzed by:	Henschen, K. on 10/5/2018									Karenia brevis	0
Comments:	Winds E @ 4-7 mph, partly cloudy, .1 precipitation in									Pseudo-nitzschia spp.	5,333
	hours, air temp 25.9 C, tide outgoing; secchi =0.95, color green-brown	water								Pyrodinium bahamense	0
HABW181002-077 FDEP EBV006 10/1/2018		Lee	26.4287 -81.8832	07:11	0.5	28.60	27.13	5.08	8.05		
	Henschen, K. on 10/5/2018									Karenia brevis	2,667
Comments:	Winds NE @ 8-12 mph, sunny, air temp 24.8 C, tide	high								Pseudo-nitzschia spp.	0
	slack; secch = 1.6, water color yellow-brown									Pyrodinium bahamense	0

HAB ID	Location	County	Lat/Lon (DD.dddd	Time	Depth (m)	Temp (C)	Sal (ppt)	DO (mg/L)	рН	Species	cells/liter
Original ID			(55.4444	• •	(,	(0)	(PPC)	(9, =)			
Sample Date											
HABW181002-078 FDEP EBV007 10/1/2018	Mound House Dock (Estero Bay)	Lee	26.4462 -81.9272	07:09	0.5	29.50	42.81	3.89	8.03		
Comments: W	enschen, K. on 10/5/2018 linds N @ 4-7 mph, partly cloudy, air temp 23.8 (coming; secchi = 2.7, water color yellow-green	C, tide								Karenia brevis Pseudo-nitzschia spp. Pyrodinium bahamense	138,333 0 0
HABW181002-079 FDEP EBERS2 10/1/2018	Estero River; upstream	Lee	26.4386 -81.8400	07:55	0.5	29.80	6.35	3.33	7.54		
Analyzed by: He	enschen, K. on 10/5/2018									Karenia brevis	0
	inds NE @ 4-7 mph, partly cloudy, 0.2 " precipita									Pseudo-nitzschia spp.	0
	4 hours, air temp 24 C, tide outgoing; secchi = 1. blor med-brown	.v m, water								Pyrodinium bahamense	0

NOTE: Blank field = not measured

Description	Karenia brevis abundance	Possible effects (<i>Karenia brevis</i> only)
NOT PRESENT - BACKGROUND	0 - 1,000 cells/L	no effects anticipated
VERY LOW	> 1,000 - 10,000 cells/L	possible respiratory irritation; shellfish harvesting closures ≥ 5,000 cells/L
LOW	> 10,000 - 100,000 cells/L	respiratory irritation; possible fish kills; probable detection of surface chlorophyll by satellites at upper range of cell abundance
MEDIUM	> 100,000 - 1,000,000 cells/L	respiratory irritation; probable fish kills; detection of surface chlorophyll by satellites
HIGH	> 1,000,000 cells/L	as above, plus water discoloration

The above report is distributed by the Harmful Algal Bloom (HAB) Group at the Fish and Wildlife Research Institute of the Florida Fish and Wildlife Conservation Commission. The report is intended to (1) provide timely information on HABs in Florida waters to partner agencies and (2) facilitate communication among individuals who direct response activities to address public health concerns. We report on the abundance of *Karenia brevis*, *Pyrodinium bahamense* and *Pseudonitzschia* species. *Karenia brevis*, the Florida red tide organism, produces neurotoxins called brevetoxins that can kill fish and other marine life. Brevetoxins may cause respiratory irritation in beachgoers and Neurotoxic Shellfish Poisoning in humans that consume contaminated shellfish. *Pyrodinium bahamense* produces saxitoxins that can cause Paralytic Shellfish Poisoning or Saxitoxin Puffer Fish Poisoning in humans if contaminated shellfish or puffer fish are consumed. Some, but not all, species of *Pseudo-nitzschia* produce domoic acid, which can cause Amnesic Shellfish Poisoning in humans if contaminated shellfish are consumed. Blooms of *Pseudo-nitzschia* spp. (≥ 1,000,000 cells/L) frequently occur in Florida's marine and estuarine waters. For information on red tide related human health issues, please refer to the Department of Health Aquatic Toxins Program.

State-wide status reports of *Karenia brevis* abundance including interactive Google Maps are provided weekly by our group. Shellfish harvesting area status maps are provided by the Division of Aquaculture. Gulf Coast beach conditions can be found at Mote Marine Laboratory's Beach Conditions Report. A full list of red tide related hotlines and information sources can be found here. Data for other species can be requested at any time by sending an inquiry to HABData@MyFWC.com. To learn more about HAB monitoring and research in Florida, please visit MyFWC.com/RedTide and Facebook.com/FLHABs.

DISCLAIMER: While every practical step has been taken to provide accurate information in these reports, the need for rapid distribution precludes extensive review. Further, reports are generated with limited interpretation and do not necessarily reflect all scientific observations.

