

HAB MONITORING REPORT

From: 6/5/2023 To: 6/5/2023

Fish and Wildlife Research Institute



Collected by: Volunteer(s)
 Collecting agency: FDEP-EBAP
 Sample condition: Preserved

HAB ID	Location	County	Lat/Lon (DD.dddd)	Time	Depth (m)	Temp (C)	Sal (ppt)	DO (mg/L)	pH	Species	cells/liter
HABW230606-039 FDEP EBV001 6/5/2023	Matanzas Pass (Estero Bay)	Lee	26.4577 -81.9532	06:06	0.5	28.50	32.35	4.03	8.07		
<p>Analyzed by: Henschen, K. on 6/6/2023</p> <p>Comments: Wind N @ 2-3 mph, partly cloudy skies, air 21.9 C, tide outgoing, secchi > 1.2 m, water yellow brown; docks severely damaged post hurricane and portions closed to access, sampled as close as possible, within 200 m at old DEP rented dock (much smaller)</p>											
										<i>Karenia brevis</i>	0
										<i>Pseudo-nitzschia spp.</i>	2,667
										<i>Pyrodinium bahamense</i>	0
HABW230606-040 FDEP EBV003 6/5/2023	Estero River; mouth of (Estero Bay)	Lee	26.4294 -81.8580	06:55	0.5	26.70	35.36	2.18	7.69		
<p>Analyzed by: Henschen, K. on 6/6/2023</p> <p>Comments: Wind N @ 2-4 mph, partly cloudy skies, air 22.3 C, tide outgoing, secchi = 1.4 m, water light brown</p>											
										<i>Karenia brevis</i>	0
										<i>Pseudo-nitzschia spp.</i>	0
										<i>Pyrodinium bahamense</i>	0
HABW230606-041 FDEP EBV004 6/5/2023	Carl Johnson Park Boat Ramp (Estero Bay)	Lee	26.3936 -81.8655	06:57	0.5	27.70	79.78	3.04	7.99		
<p>Analyzed by: Villac, M.C. on 6/6/2023</p> <p>Comments: Wind NE @ 4-7 mph, partly cloudy skies, air 22.5 C, tide outgoing, secchi = 1.2 m, water medium brown</p>											
										<i>Karenia brevis</i>	0
										<i>Pseudo-nitzschia spp.</i>	22,667
										<i>Pyrodinium bahamense</i>	0
HABW230606-042 FDEP EBV005 6/5/2023	Pelican Bay Nature Park Pier (Estero Bay)	Lee	26.3584 -81.8375	06:40	0.5	26.30	35.90	4.42	7.74		
<p>Analyzed by: Villac, M.C. on 6/6/2023</p> <p>Comments: Wind N @ 4-7 mph, partly cloudy skies, air 22.1 C, 0.01" precipitation in last 24 hours, tide incoming, secchi = 1.0 m, water yellow green</p>											
										<i>Karenia brevis</i>	0
										<i>Pseudo-nitzschia spp.</i>	0
										<i>Pyrodinium bahamense</i>	0

NOTE: Blank field = not measured

HAB ID	Location	County	Lat/Lon (DD.dddd)	Time	Depth (m)	Temp (C)	Sal (ppt)	DO (mg/L)	pH	Species	cells/liter
HABW230606-043	Mound House Dock (Estero Bay)	Lee	26.4462 -81.9272	06:58	0.5	28.60	32.48	4.81	8.08		
Original ID											
Sample Date											
FDEP EBV007											
6/5/2023											
Analyzed by:	Villac, M.C. on 6/6/2023									<i>Karenia brevis</i>	0
Comments:	Wind N @ 2-3 mph, sunny skies, air 26.9 C, tide outgoing, secchi = 1.85, water green brown									<i>Pseudo-nitzschia spp.</i>	2,667
										<i>Pyrodinium bahamense</i>	0
HABW230606-044	Estero River; upstream	Lee	26.4386 -81.8400	07:10	0.5	26.90	26.15	1.46	7.33		
Original ID											
Sample Date											
FDEP EBERS2											
6/5/2023											
Analyzed by:	Villac, M.C. on 6/6/2023									<i>Karenia brevis</i>	0
Comments:	Wind E @ 0-1 mph, partly cloudy skies, 0.2" precipitation in last 24 hours, air 22 C, tide outgoing, secchi = 1.9 m, water green brown									<i>Pseudo-nitzschia spp.</i>	0
										<i>Pyrodinium bahamense</i>	0

NOTE: Blank field = not measured

Description	<i>Karenia brevis</i> abundance	Possible effects (<i>Karenia brevis</i> only)
NOT PRESENT - BACKGROUND	0 - 1,000 cells/L	no effects anticipated
VERY LOW	> 1,000 - 10,000 cells/L	possible respiratory irritation; shellfish harvesting closures \geq 5,000 cells/L
LOW	> 10,000 - 100,000 cells/L	respiratory irritation; possible fish kills; probable detection of surface chlorophyll by satellites at upper range of cell abundance
MEDIUM	> 100,000 - 1,000,000 cells/L	respiratory irritation; probable fish kills; detection of surface chlorophyll by satellites
HIGH	> 1,000,000 cells/L	as above, plus water discoloration

The above report is distributed by the Harmful Algal Bloom (HAB) Group at the Fish and Wildlife Research Institute of the Florida Fish and Wildlife Conservation Commission. The report is intended to (1) provide timely information on HABs in Florida waters to partner agencies and (2) facilitate communication among individuals who direct response activities to address public health concerns. We report on the abundance of *Karenia brevis*, *Pyrodinium bahamense* and *Pseudo-nitzschia* species. [Karenia brevis](#), the Florida red tide organism, produces neurotoxins called brevetoxins that can kill fish and other marine life. Brevetoxins may cause respiratory irritation in beachgoers and Neurotoxic Shellfish Poisoning in humans that consume contaminated shellfish. [Pyrodinium bahamense](#) produces saxitoxins that can cause Paralytic Shellfish Poisoning or Saxitoxin Puffer Fish Poisoning in humans if contaminated shellfish or puffer fish are consumed. Some, but not all, species of [Pseudo-nitzschia](#) produce domoic acid, which can cause Amnesic Shellfish Poisoning in humans if contaminated shellfish are consumed. Blooms of *Pseudo-nitzschia* spp. (\geq 1,000,000 cells/L) frequently occur in Florida's marine and estuarine waters. For information on red tide related human health issues, please refer to the [Department of Health Aquatic Toxins Program](#).

[State-wide status reports](#) of *Karenia brevis* abundance including interactive Google Maps are provided weekly by our group. [Shellfish harvesting area status maps](#) are provided by the Division of Aquaculture. Gulf Coast beach conditions can be found at [Mote Marine Laboratory's Beach Conditions Report](#). A full list of red tide related hotlines and information sources can be found [here](#). Data for other species can be requested at any time by sending an inquiry to HABData@MyFWC.com. To learn more about HAB monitoring and research in Florida, please visit MyFWC.com/Research/redtide and Facebook.com/FLHABs.

DISCLAIMER: While every practical step has been taken to provide accurate information in these reports, the need for rapid distribution precludes extensive review. Further, reports are generated with limited interpretation and do not necessarily reflect all scientific observations.



Matanzas Pass

Mound House Dock

Estero River; upstream

Estero River; mouth of

Lee

Carl Johnson Park Boat Ramp

Pelican Bay Nature Park Pier

Karenia brevis (cells/liter)

- not present/background (0-1,000)
- very low (>1,000-10,000)
- low (>10,000-100,000)
- medium (>100,000-1,000,000)
- high (>1,000,000)

Google Earth

Data SIO, NOAA, U.S. Navy, NGA, GEBCO

Image © 2023 TerraMetrics

4 mi

